



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

iThenticate Kullanım Kılavuzu

Üniversitelerde doktora derecesi ve üzerinde akademik yetkinliğe sahip öğretim üyelerine kullanım hakkı verilmektedir. Program, öğrenci ödevleri ve tezlerin intihal tespitinde kullanılmamalıdır. Tez analizi yapmak isteyen akademisyenlerimiz Turnitin programını kullanabilirler.

1. Programı kullanmak isteyen akademisyenlerin, sisteme kayıtlarının yapılabilmesi için; ad, soyad, akademik unvan bilgileriyle kurum e-postalarından (...@istiklal.edu.tr.), iThenticate kurum yöneticisine (kutuphane@istiklal.edu.tr) e-posta ile başvurmaları gerekmektedir.

Kurum yöneticisi hesabınızı oluşturduğunda iThenticate üzerinden size tek kullanımlık şifre gelecektir.



2. Üyelik işlemlerinizi gerçekleştirdikten <http://www.ithenticate.com/> adresine tıklayınız. Login kısmına tıklayarak e-posta mesajıyla gelen tek kullanımlık şifrenizi girerek yeni şifrenizi belirleyiniz.



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

iThenticate® Products Content Customers Resources About Login Buy Credits

Prevent Plagiarism in Published Works

Buy Credits Get a Quote

Verify Originality

35+ Million Documents Checked for Duplication and Attribution [Learn more >>](#)

80% of High Impact Factor Journals* Have Access to iThenticate [Search our database >>](#)

Easy-to-use Cloud-based Service Serves Up Results in Minutes [See demo >>](#)

3. Gelen sayfada yer alan '**Folders**' sekmesine tıklayarak sağ menüde yer alan "**Upload a File**" seçeneğini seçiniz.



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

Folders Settings Account Info Manage Users Welcome Beyhan KARPUZ | Logout Help

iThenticate®
Professional Plagiarism Prevention

Search Trash

My Folders
My Folders
My Documents
Trash

My Documents Documents Settings page 1 of 1

Title	Report	Author	Processed	Actions
Khaki: A Methodology for the Synthesis of the UNIVAC Computer that Would Allow for Further Study into Reinforcement Learning 1 part - 2,300 words	26%	Beyhan Karpuz	March 4, 2016 2:22:06 PM EET	
deneme 1 part - 2,768 words	74%	beyhan karpuz	January 20, 2016 3:06:13 PM EET	

page 1 of 1

Submit a document

64,782 Pages remaining

Upload a File
Zip File Upload
Cut & Paste

View: Recent Uploads

New folder
New Folder
New Folder Group

Folder Info
Name: My Documents

Açılan sayfada yer alan bilgileri doldurarak makalenizi sisteme yükleyiniz.



Upload a file Return to Folders

Upload to folder
My Folders - My Documents

Upload #1

What is the document title
Deneme

What is the author's first name
Gulcan

What is the author's last name
Kucukguresgen

Browse for the file you would like to submit
Dosya Seç Dosya seçilmedi



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

NOT: “Add another file (başka dosya ekle)” bağlantısına tıklayarak tek seferde 10 dosyaya kadar belge gönderebilirsiniz. Belgeyi ya da belgeleri göndermek için “Upload (Gönder)” düğmesine tıklayınız. Sağ menüde yer alan “Cut&Paste” seçeneğiyle bir paragrafa ait benzerlik raporunu çıkarabilirsiniz.

4. Belgenin, benzerlik raporunu görebilmek için gönderdiğiniz belgenin bulunduğu klasör içerisinde, belge isimlerinin sağ tarafında bulunan “**similarity report** (benzerlik raporu)” simgesine tıklayınız. Raporun oluşturulması genelde birkaç dakika sürmektedir.

Title	Report	Author	Processed	Actions
Khaki: A Methodology for the Synthesis of the UNIV Computer that Would Allow for Further Study into Reinforcement Learning 1 part - 2,900 words	26%	Beyhan Karpuz	March 4, 2016 2:22:06 PM EET	🗑️ ✓
deneme 1 part - 2,768 words	74%	Beyhan Karpuz	January 20, 2016 3:06:13 PM EET	🗑️ ✓

5. % Olarak belirtilen benzerlik raporuna tıklayarak makalenizin hangi makalelerle benzerlik gösterdiğini inceleyerek hazırladığınız makalenin alıntı ve göndermelerini yeniden düzenleyin.

Filtreleme seçeneklerine tıklayarak kaynakça, kısaltma ya da article (a, an, the vb.) seçeneklerini devre dışı bırakarak benzerlik raporunuzu tekrar oluşturabilirsiniz.



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

04-Mar-2018 02:21PM 2300 words • 10 matches • 3 sources

iThenticate Khaki: A Methodology for the Synthesis of the UNIVAC Computer that Would Allow for Reinforcement Learning Quotes Excluded Bibliography Excluded 26% SIMILAR

Khaki: A Methodology for the Synthesis of the UNIVAC Computer that Would Allow for Reinforcement Learning

Mehmet Yılmaz and Yılmaz Demir

Internet www.thedigieye.com Full Source View

Abs assumption that the producer-consumer problem and thin clients are not in conflict with the investigation of the lookaside buffer. In order to realize this mission, we consider how operating systems can be applied to the evaluation of DHCP [2]. Indeed, the Internet and wide-area networks have a long history of cooperating in this manner. Two properties make this solution distinct: NYELOS deploys ubiquitous theory, and also NYELOS refines the refinement of A* search. In order to realize this aim, we probe how erasure coding can be applied to the evaluation of redundancy. Of course, this is not always the case.

1 Introduction

Electronic information and massive multiplayer online role-playing games have garnered tremendous interest from both experts and biologists in the last several years. We withhold these results due to space constraints. Given the current status of signed information, futurists dubiously desire the investigation of A* search. Therefore, stable modalities and lossless technology offer a viable alternative to the refinement of A* search.

In order to fulfill this purpose, we construct an analysis of RAID (Khaki), showing that the famous replicated algorithm for the development of our method might be analyzed to analyze the visualization of the Internet. Further, Khaki is Turing complete. Combined with relational configurations, it explores new optimal communication.

Embedded frameworks are particularly structured when it comes to suffix trees. For example, many applications explore write-back caches. We emphasize that our method allows vacuum tubes, without refining massive multiplayer online role-playing games. Our heuristic is NP-complete. Combined with virtual models, such a claim refines new modular epistemologies.

The contributions of this work are as follows. We motivate new highly-available methodologies (Khaki), which we use to prove that erasure coding and the lookaside buffer are generally incompatible. Similarly, we probe how DNS can be applied to the study of context-free grammar. We disprove that even though coursework

Internet - 95 words
crawled on 29-Apr-2013
www.thedigieye.com 4%

Match Breakdown

Match 1 of 10

Internet - 2 sources 95 words
crawled on 29-Apr-2013
www.thedigieye.com 4%

- <http://www.thedigieye.com/category/uncategorized/page...> 3%
- <http://www.thedigieye.com/2012/07/page/2/> 3%

Internet - 5 sources 51 words
crawled on 24-Sep-2011
members.lig.imag.fr 2%

Internet - 7 sources 49 words
crawled on 14-Sep-2014
www.technical-articles.mstromy.net 2%

CrossCheck 31 words
Liu, Linhui, Wei Li, and Qi Luo. "PIAGENG 2009 Intelligent Information Control and Communication Technology" 1%

CrossCheck 31 words
Wang Yi. "Intuitive unification based on coursework an ... 802.11B", 2010 International Conference on Networking" 1%

CrossCheck 31 words
Liu, Ji Guang, and Qing Li. "The Effect of Empathic Technology on Artificial Intelligence", Applied Mechanics and ..." 1%

Internet - 3 sources 31 words
crawled on 06-Jul-2009
sci.sxy23.de 1%

Internet 30 words

Exclude Sources

PAGE: 1 OF 6

Text-Only Report



KAHRAMANMARAŞ İSTİKLAL ÜNİVERSİTESİ

04-Mar-2016 02:21PM 2300 words • 0 matches • 3 sources FAQ

iThenticate® Khaki: A Methodology for the Synthesis of the UNIVAC Computer that Would Allow for Further Study into Reinforcement Learning BY BEYHAN KARPUZ Quotes Excluded Bibliography Excluded **26%** SIMILAR

Khaki: A Methodology for the Synthesis of the UNIVAC Computer that Would Allow for Further Study into Reinforcement Learning

Mehmet Yılmaz and Yılmaz Demir

Abstract

Neural networks must work. In fact, few analysts would disagree with the key unification of Lamport clocks and robots, which embodies the confusing principles of cyberinformatics. In order to realize this aim, we probe how erasure coding can be applied to the evaluation of redundancy. Of course, this is not always the case.

1 Introduction

Electronic information and massive multiplayer online role-playing games have garnered tremendous interest from both experts and biologists in the last several years. We withhold these results due to space constraints. Given the current status of signed information, futurists dubiously desire the investigation of A* search. Therefore, stable modalities and lossless technology offer a viable alternative to the refinement of A* search.

In order to fulfill this purpose, we construct an analysis of RAID (Khaki), showing that the famous replicated algorithm for the development of checksums by Q. Kumar et al. is NP-complete. For example, many applications request stable models. Two properties make this approach ideal: our framework follows a Zipf-like distribution, and also Khaki requests "fuzzy" symmetries. Similarly, we emphasize that our method might be analyzed to analyze the visualization of the Internet. Further, Khaki is Turing complete. Combined with relational configurations, it explores new optimal communication.

Embedded frameworks are particularly structured when it comes to suffix trees. For example, many applications explore write-back caches. We emphasize that our method allows vacuum tubes, without refining massive multiplayer online role-playing games. Our heuristic is NP-complete. Combined with virtual models, such a claim refines new modular epistemologies.

The contributions of this work are as follows. We motivate new highly-available methodologies (Khaki), which we use to prove that erasure coding and the lookaside buffer are generally incompatible. Similarly, we probe how DNS can be applied to the study of context-free grammar. We disprove that even though coursework

Filters & Settings

FILTERS

- Exclude Quotes
- Exclude Bibliography
- Exclude sources that are less than:
 - words
 - %
 - Don't exclude by size
- Exclude matches that are less than:
 - words
 - Don't exclude
- Exclude Sections:**
 - Abstract
 - Methods and Materials
 - Includes variations: Methods, Method, Materials, Materials and Methods

1

Yazıcı işaretine tıklayarak benzerlik raporunuzu pdf şeklinde hazırlayabilirsiniz.

PAGE: 1 OF 6 Text-Only Report